

Message

---

**From:** Williams, Christopher [Williams.Christopher@epa.gov]  
**Sent:** 10/28/2019 12:59:03 PM  
**To:** Pavitt, John [Pavitt.John@epa.gov]  
**CC:** McClintock, Katie [McClintock.Katie@epa.gov]  
**Subject:** RE: Peer Review of Draft Report: Hilcorp MPU  
**Attachments:** Draft Inspection Report\_Hilcorp\_MPU\_10-24-19-CW.docx

Thank you John. This is very well written (as usual). I made some minor spacing changes and a font change to a subheading. I also responded to your comment regarding the notification requirements, that may be relevant, so take a look.

Send it my way when you are done reviewing and I would be happy to sign it.

Thanks,

Chris

Christopher Williams, P.E.  
Air Enforcement Division  
U.S. EPA Headquarters, Rm 1142C  
William Jefferson Clinton Building-South  
1200 Pennsylvania Avenue, N.W.  
Mail Code: 2242A  
Washington, D.C. 20460  
williams.christopher@epa.gov  
Tel: 202.564.7889

---

**From:** Pavitt, John <Pavitt.John@epa.gov>  
**Sent:** Thursday, October 24, 2019 2:55 PM  
**To:** Williams, Christopher <Williams.Christopher@epa.gov>  
**Cc:** McClintock, Katie <McClintock.Katie@epa.gov>  
**Subject:** Peer Review of Draft Report: Hilcorp MPU

Chris, attached is my draft report for our July inspection at Hilcorp MPU. Please review and let me know what questions, comments or edits you have. I've identified a number of compliance concerns.

I've previously sent you a link to my One Drive folder for the inspection, but let me know if I need to send it again.

Sincerely,

John Pavitt, Air Compliance Inspector  
Air and Toxics Enforcement Section  
U.S. EPA Region 10  
Alaska Operations Office  
Anchorage, AK  
Phone: (907) 271-3688